

Publicacions

Fast skeletal myofibers of mdx mouse, model of Duchenne muscular dystrophy, express connexin hemichannels that lead to apoptosis. Cea LA, Puebla C, Cisterna BA, Escamilla R, Vargas AA, Frank M, Martínez-Montero P, Prior C, Molano J, Esteban-Rodríguez I, Pascual I, Gallano P, Lorenzo G, Pian H, Barrio LC, Willecke K, Sáez JC. *Cell Mol Life Sci*. 2016 Jan 23.

Muscle imaging in muscle dystrophies produced by mutations in the EMD and LMNA genes. Díaz-Manera J, Alejandre A, González L, Olivé M, Gómez-Andrés D, Muelas N, Vílchez JJ, Llauger J, Carbonell P, Márquez-Infante C, Fernández-Torrón R, Poza JJ, López de Munáin A, González-Quereda L, Mirabet S, Clarimon J, Gallano P, Rojas-García R, Gallardo E, Illa I. *Neuromuscul Disord*. 2016 Jan;26(1):33-40.

Similar articles Methotrexate pharmacokinetic genetic variants are associated with outcome in rheumatoid arthritis patients. Moya P, Salazar J, Arranz MJ, Díaz-Torné C, Del Río E, Casademont J, Corominas H, Baiget M. *Pharmacogenomics*. 2016 Jan;17(1):25-9.

DMD Mutations in 576 Dystrophinopathy Families: A Step Forward in Genotype-Phenotype Correlations. Juan-Mateu J, Gonzalez-Quereda L, Rodriguez MJ, Baena M, Verdura E, Nascimento A, Ortez C, Baiget M, Gallano P. *PLoS One*. 2015 Aug 18;10(8):e0135189.

Dysferlinopathy masquerading as a refractory polymyositis. Loureiro Amigo J, Gallardo E, Gallano P, Grau-Junyent JM. *Med Clin (Barc)*. 2015 Nov 6;145(9):414-5.

No clinical utility of KRAS variant rs61764370 for ovarian or breast cancer. Ovarian Cancer Association Consortium, Breast Cancer Association Consortium, and Consortium of Modifiers of BRCA1 and BRCA2. *Gynecol Oncol*. 2015 May 2. pii: S0090-8258(15)00863-X.

Genetic variations in the VEGF pathway as prognostic factors in metastatic colorectal cancer patients treated with oxaliplatin-based chemotherapy. Paré-Brunet L, Sebio A, Salazar J, Berenguer-Llargo A, Río E, Barnadas A, Baiget M, Páez D. *Pharmacogenomics J*. 2015 Oct;15(5):397-404.

Consensus on the use of methotrexate beyond the clinical

recommendation: Adjusted dose and pharmacogenetics. Moya P, Corominas H, Salazar J, Baiget M. *Reumatol Clin*. 2015 Jul-Aug;11(4):261-2.

Polymorphisms in genes involved in the mechanism of action of methotrexate: are they associated with outcome in rheumatoid arthritis patients? Salazar J, Moya P, Altés A, Díaz-Torné C, Casademont J, Cerdà-Gabaroí D, Corominas H, Baiget M. *Pharmacogenomics*. 2014 Jun;15(8):1079-90.

Decay in survival motor neuron and plastin 3 levels during differentiation of iPSC-derived human motor neurons. Boza-Morán MG, Martínez-Hernández R, Bernal S, Wanisch K, Also-Rallo E, Le Heron A, Alías L, Denis C, Girard M, Yee JK, Tizzano EF, Yáñez-Muñoz RJ. *Sci Rep*. 2015 Jun 26;5:11696.

EGFR ligands and DNA repair genes: genomic predictors of complete response after capecitabine-based chemoradiotherapy in locally advanced rectal cancer. Sebio A, Salazar J, Páez D, Berenguer-Llargo A, Del Río E, Tobeña M, Martín-Richard M, Sullivan I, Targarona E, Balart J, Baiget M, Barnadas A. *Pharmacogenomics J*. 2015 Feb;15(1):77-83.

Identification of six new susceptibility loci for invasive epithelial ovarian cancer. Consortium of Investigators of Modifiers of BRCA1 and BRCA2. *Nat Genet*. 2015 Feb;47(2):164-71.

Analysis of the C9orf72 gene in spinal muscular atrophy patients. Alías L, Bernal S, Barceló MJ, Martínez-Hernández R, Martínez E, Baiget M, Tizzano EF. *Amyotroph Lateral Scler Frontotemporal Degener*. 2014 Dec;15(7-8):563-8.

Pharmacogenetics of the DNA repair pathways in advanced non-small cell lung cancer patients treated with platinum-based chemotherapy. Sullivan I, Salazar J, Majem M, Pallarés C, Del Río E, Páez D, Baiget M, Barnadas A. *Cancer Lett*. 2014 Oct 28;353(2):160-6.

Overview of Bardet-Biedl syndrome in Spain: identification of novel mutations in BBS1, BBS10 and BBS12 genes. Álvarez-Satta M, Castro-Sánchez S, Pereiro I, Piñeiro-Gallego T, Baiget M, Ayuso C, Valverde D. *Clin Genet*. 2014 Dec;86(6):601-2.

Assessment of primary healthcare professionals' management of hypertensive patients with riser pattern. Sagarra-Tió M, Féllez-Carrobé E, Baiget M, Féllez J. *Eur J Cardiovasc Nurs.* 2015 Feb;14(1):73-8.

A genome-wide association study on copy-number variation identifies a 11q11 loss as a candidate susceptibility variant for colorectal cancer. Fernandez-Rozadilla C, Cazier JB, Tomlinson I, Brea-Fernández A, Lamas MJ, Baiget M, López-Fernández LA, Clofent J, Bujanda L, Gonzalez D, de Castro L; EPICOLON Consortium, Hemminki K, Bessa X, Andreu M, Jover R, Xicola R, Llor X, Moreno V, Castells A, Castellví-Bel S, Carracedo A, Ruiz-Ponte C. *Hum Genet.* 2014 May;133(5):525-34.

About 1% of the breast and ovarian Spanish families testing negative for BRCA1 and BRCA2 are carriers of RAD51D pathogenic variants. Gutiérrez-Enríquez S, Bonache S, de Garibay GR, Osorio A, Santamariña M, Ramón y Cajal T, Esteban-Cardenosa E, Tenés A, Yanowsky K, Barroso A, Montalban G, Blanco A, Cornet M, Gadea N, Infante M, Caldés T, Díaz-Rubio E, Balmaña J, Lasa A, Vega A, Benítez J, de la Hoya M, Diez O. *Int J Cancer.* 2014 May 1;134(9):2088-97.

Abnormalities in early markers of muscle involvement support a delay in myogenesis in spinal muscular atrophy. Martínez-Hernández R, Bernal S, Alias L, Tizzano EF. *J Neuropathol Exp Neurol.* 2014 Jun;73(6):559-67.

Improving detection and genetic counseling in carriers of spinal muscular atrophy with two copies of the SMN1 gene. Alías L, Barceló MJ, Bernal S, Martínez-Hernández R, Also-Rallo E, Vázquez C, Santana A, Millán JM, Baiget M, Tizzano EF. *Clin Genet.* 2014 May;85(5):470-5.